timba

naturalselection

Contents

Introduction	2 - 3
Lifestyles	4 - 5
20mm Solid European Oak	6 - 7
20mm Solid European Oak Specs	8 - 9
18mm Engineered Oak	10 - 11
18mm Engineered Oak Specs	12 - 13
14mm LOC Engineered Oak	14 - 15
14mm LOC Engineered Oak Specs	16 - 17
Accessories	18 - 19
Product Data	20 - 22
Timba Life	23

Brochure Disclaimer

Whilst every effort has been made to replicate the true colour of our products shown in this catalogue, wood is a 100% natural product which has colour variation in every individual piece. Photography shown and printing limitations therefore cannot be matched 100%, as such please allow for this before making your final selection.



Step inside and experience our brand new Timba Floor collection where we have developed a product range of truly beautiful oak floors with you and your family in mind. Our floors are both traditional and innovative in design, with modern colour decors offering a wide choice of quality finishes to pick from, however one thing is guaranteed with Timba Floor and that is our build quality and strength, so please relax, study our products and enjoy styling your home. To help you here is a brief introduction to our floors;

Timba Floor European solids will give you great strength from our 20mm thick boards in a wide variety of size options, with an impressive average board lengths of + 920mm each piece of flooring is bursting with true European character and as ever with Oak timeless in appearance. Be sure to view our décor board on page 8, check out the features and benefits and read the consumer feedback to be reassured about choosing this quality solid floor.


If your need is for a structural floor, or you simply have a difficult installation take a look at our Timba Floor 18mm Engineered boards as they really are the floors for all locations. Our customers love the stability and strength of the hardwood multiply core base that we combine with a very durable 4mm oak wear layer to give a simple but very effective engineered floor board. Then look at our very imaginative design décor board on page 12 where we have added a selection of the latest colour trends featuring in homes today.

For value, quality and ease of installation take a look at our 14mm Timba Floor LOC for those everyday projects and busy family rooms. With great décor features and wide long boards that just drop into place using the market leading Välinge LOC system you really can create an exciting new ambience in a very short period of time.

Timba Floor, a natural selection



Introduction









20mm Solid European Oak

'Pure Beauty' 'Classical Features' 'Great Strength'

We are proud to present the very best Timba Solid European Oak, impressive 20mm thick planks with longer than average boards our collection includes many features that will compliment your home for years to come whether you live in a traditional or ultra modern environment we have the ideal design for you. At Timba we believe a floor is far more than simply an item to walk on but in fact creates the ideal canvas for which you furnish your room, as such a simple reflection of your individual style, personality, culture and life. Selecting your new floor is the ideal time to let the designer influences come out in you, be creative and choose a thing of pure natural beauty that will show how you value your precious living space - real wood, real oak.

Choose Timba Floor for pure beauty and strength, a truly 'Natural Selection',

20mm Solid European Oak - Brushed & Oiled

natural selection

timba








Œ

Finishes

20mm Solid European Oak



Features & Advantages







About

Our Timba 20mm Solid European Oak floors display many high quality features such as longer length boards, 4 sided maxi bevels and a great choice of oak finishes. Stunningly individual and timeless, Timba floors are full of character and will complement any room setting due to the choice of both colours and textures within the range.

Available in widths of: 110mm / 130mm / 150mm / 180mm * * (Finish choice varies by width, check with your stockist)

Consumer Feedback

Great Product, would recommend.	
Richard, Upminster - June 2011	****
This is absolutely beautiful flooring, fantast quality and a lovely finish.	tic
Sam, Bristol - April 2011	****
I would recommend to any home owner looking for good quality floors.	
Eleanor, Bridgend - May 2011	****



18mm T&G Engineered Oak

'Natural Elegance' 'Engineered Perfection' 'Designer Floors for Life'

Timba T&G Engineered Oak floors really are floors for life, impressive 18mm thick planks with a super durable multiply core that simply makes this floor a great structural choice. At Timba we describe our 18mm Engineered floor as the product for all locations, however demanding. It is that tuff it gives you a solution in all areas whether nailing to joists, gluing to concrete or floating over underlay this floor has the dimension and style of finish to match your project, so much so we have backed it up with our impressive 20 year home warranty.

Timeless features in Timba 18mm T&G Engineered include an impressive surface wear layer of 4mm of real oak flooring, a great choice of board dimensions and a range of 12 superb quality finish options all selected from top European manufacturers. At Timba we have carefully matched our floors to the latest design trends for you to start creating the perfect interior for your home, now let your floor reflect your individual style and personality.

Choose Timba Floor for pure beauty and strength, a truly 'Natural Selection'










Finishes

18mm T&G Engineered Oak



Features & Advantages



Structural 18mm Multiply boards



T&G Fixing



V4 Micro Bevel



Quality European Finishing Materials



High Performance Polymer Coatings



Suitable for Under Floor Heating



20 Year Warranty





12


About

Our Timba 18mm Structural Engineered are simply the very best choice when value and strength are key to the installation. Timba Structural floors offer a wide variety of ready finished quality floors that can be nailed, glued down or simply floated over underlay and will provide the perfect solution to virtually any design project including modern under floor heating systems.

Available in 12 finishes with board widths of: 130mm / 150mm / 189mm*

* (Finish choice varies by width, check with your stockist)

Consumer Feedback





14mm LOC Engineered Oak

'Sophisticated Style' 'Value & Quality' 'Chic & Contemporary'

We have a feeling you will love the sleek and contemporary lines on our Timba 14mm Engineered Oak floors. Easy on the eye with micro bevelled edges that enhance the classic linear plank design, our boards come in a wide choice of stylish oak veneers with an exquisite selection of the best European finishes. A great benefit of Timba 14mm Engineered or Parquet flooring as it used to be called is that it offers simple, practical installation in a wide variety of rooms including use over under floor heating systems that may require access at a later date. The Välinge LOC allows easy removal and re-installation in such cases.

At Timba floor we always select the very best raw materials to use with our modern production facility providing you with flooring that can be both Chic & Contemporary or as Traditional as the room you put it in, however one thing for certain is by choosing Timba you guarantee value and quality every time.

Choose Timba Floor for pure beauty and strength, a truly 'Natural Selection'.








Œ

15

Finishes

14mm LOC Engineered Oak



Features & Advantages



Välinge LOC



Under Floor Heating

v4 Micro Bevel

V4 Micro Bevel



Quality European Finishing Materials



High Performance Polymer Coatings



Longer Length Planks



15 Year Warranty













About


Our Timba 14mm Engineered flooring with the market leading Välinge LOC system are great when a floating floor system over underlay is required and with the added benefit of a quick and easy installation. Very popular in both domestic and commercial installations Timba floor engineered flooring is also ideal for use over modern under floor heating systems.

Available in longer length 189mm wide boards.

Consumer Feedback

	cellent product, well engineered f solid quality.	
	Neil, Tavistock - July 2011	****
	r fitting boards, easy to work with ling very nice finish.	
	Paul, South Shields - June 2011	****
2	ove my floor, colours in the grain are ng – everybody comments on it	
	Janice, Durham - December 2010	****

Accessories



timba

5. Timba Trade Adhesive - 10ltr Unit



18

Accessories

Product Data

20mm Solid European Oak

Product & Finish	Grade	Board Dimensions	Pack Size	Item Code
Lacquered	BCD	20 x 110 x Random Length	1.32m ²	2407
Brushed & Oiled	BCD	20 x 110 x Random Length	1.32m ²	2408
Lacquered	BCD	20 x 130 x Random Length	1.56m ²	2410
Brushed & Oiled	BCD	20 x 130 x Random Length	1.56m²	2411
Fumed, Brushed & Whitewashed	BCD	20 x 130 x Random Length	1.56m ²	2413
Fumed HPPC	BCD	20 x 130 x Random Length	1.56m²	2412
Unfinished	BCD	20 x 130 x Random Length	1.56m ²	2409
Lacquered	BCD	20 x 150 x Random Length	1.80m ²	2415
Brushed & Oiled	BCD	20 x 150 x Random Length	1.80m²	2416
Flat Oiled	BCD	20 x 150 x Random Length	1.80m²	2452
Fumed, Brushed & Whitewashed	BCD	20 x 150 x Random Length	1.80m²	2418
Fumed HPPC	BCD	20 x 150 x Random Length	1.80m ²	2417
Colonial HPPC	BCD	20 x 150 x Random Length	1.80m²	2439
Pure Gold HPPC	BCD	20 x 150 x Random Length	1.80m ²	2468
Unfinished	BCD	20 x 150 x Random Length	1.80m²	2414
Lacquered	BCD	20 x 180 x Random Length	2.16m ²	2420
Brushed & Oiled	BCD	20 x 180 x Random Length	2.16m ²	2421
Fumed, Brushed & Whitewashed	BCD	20 x 180 x Random Length	2.16m ²	2423
Fumed HPPC	BCD	20 x 180 x Random Length	2.16m ²	2422
Unfinished	BCD	20 x 180 x Random Length	2.16m ²	2419

18mm T&G Engineered Oak

Product & Finish	Grade	Board Dimensions	Pack Size	Item Code
Lacquered	ABCD	18 x 130 x Random Lengths	2.29m ²	2322
Brushed & Oiled	ABCD	18 x 130 x Random Lengths	2.29m ²	2323
Fumed, Brushed & Whitewashed	ABCD	18 x 130 x Random Lengths	2.29m ²	2325
Fumed HPPC	ABCD	18 x 130 x Random Lengths	2.29m ²	2336
Colonial Gold HPPC	ABCD	18 x 130 x Random Lengths	2.29m ²	2394
Lacquered	ABCD	18 x 150 x Random Lengths	1.65m²	2276
Brushed & Oiled	ABCD	18 x 150 x Random Lengths	1.65m²	2275
Flat Oiled	ABCD	18 x 150 x Random Lengths	1.65m²	2454
Brushed & Matt Lacquered	ABCD	18 x 150 x Random Lengths	1.65m²	2382
Fumed, Brushed & Whitewashed	ABCD	18 x 150 x Random Lengths	1.65m²	2277
Fumed HPPC	ABCD	18 x 150 x Random Lengths	1.65m²	2278
Colonial Gold HPPC	ABCD	18 x 150 x Random Lengths	1.65m²	2372
Plantation French Grey	ABCD	18 x 150 x Random Lengths	1.65m²	2444
Plantation Coffee	ABCD	18 x 150 x Random Lengths	1.65m²	2445
Limed Oak	ABCD	18 x 150 x Random Lengths	1.65m²	2348
Brushed White	ABCD	18 x 150 x Random Lengths	1.65m²	2427
Unfinished	ABCD	18 x 150 x 1860mm	1.395m²	2522
Lacquered	ABCD	18 x 189 x 1860mm	1.757m ²	2317
Brushed & Oiled	ABCD	18 x 189 x 1860mm	1.757m ²	2318
Flat Oiled	ABCD	18 x 189 x 1860mm	1.757m ²	2453
Fumed HPPC	ABCD	18 x 189 x 1860mm	1.757m ²	2349
Brushed & Matt Lacquered	ABCD	18 x 189 x 1860mm	1.757m ²	2381
Unfinished	ABCD	18 x 189 x 1860mm	1.757m ²	2319
Brushed & Unfinished	ABCD	18 x 189 x 1860mm	1.757m ²	2441



timba

Product Data

Product Data

14mm LOC Engineered Oak

Product & Finish	Grade	Board Dimensions	Pack Size	Item Code
Lacquered	ABCD	14 x 189 x 1860mm	2.81m ²	2442
Brushed & Oiled	ABCD	14 x 189 x 1860mm	2.81m ²	2443
Flat Oiled	ABCD	14 x 189 x 1860mm	2.81m ²	2466
Brushed & Unfinished	ABCD	14 x 189 x 1860mm	2.81m ²	2440
Unfinished	ABCD	14 x 189 x 1860mm	2.81m ²	2457
Fumed	ABCD	14 x 189 x 1860mm	2.81m ²	2227
Double Smoked	ABCD	14 x 150 x 1860mm	2.23m ²	2446
Heritage	ABCD	14 x 150 x 1860mm	2.23m ²	2447
Plantation Coffee	ABCD	14 x 150 x 1860mm	2.23m ²	2448

Technical Data

Testing Method	Result
Standards of Manufacturing Tolerance	EN 13226
Standards of Manufacturing Tolerance (DIN)	EN 13647
Moisture in Wood Tolerance	EN 13183-1
Slip Resistance	EN 1339
Fire Rating CE Marked Products	EN 13501-1
Emission of Formaldehyde	EN 717-1
Breaking Strength	EN 1533
CE Marking to wood flooring	EN 14342
Oak Hardness using Janka Scale	EN 1360

Product Warranty



O

Year

Warranty

Timba Floor are pleased to offer a substantial domestic warranty with our floors showing these icons. Please read your installation instructions in each pack of flooring for more detailed warranty information on this product.

For commercial application please consult your stockist or Timba Floor direct.

The Timba Environment

At Timba Floor we take our responsibility for the environment very seriously. In fact some famous people would say "The earth does not belong to us but has just been entrusted to us by our children."

at the time - be sure to check with your stockist.

* 6" wide boards are 150mm / 7¼" wide boards are 180mm.

If you are looking for that perfect floor for your period cottage,

old town house or contemporary home our Olde English Oak will be the perfect match. Full of character each individual plank in unique in appearance, worn and in places distressed on the face, edges or ends of planks. All essential features when an aged Olde English traditionally styled piece of period flooring is required. Planks can be 6" or 7¼" wide*, depends on availability

As such at Timba Floor we are committed to ensuring all raw materials used on our products have been ethically purchased from well managed sustainable sources.



timba



Timba Life





hppc)



naturalselection





Timba Floor is brand imported by SWI-UK BV, Registered International Office: Den IIp 10, 1127 PA Landsmeer, The Netherlands

www.timbafloor.co.uk

Stockist Details: